# Honeywell

# HFC-245fa, Genetron® 245fa

## 00000009878

Version 2.8

Revision Date 18.12.2022

Supersedes 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier							
Product name	:	HFC-245fa, Genetron® 245fa					
SDS-number	:	00000009878					
Type of product	:	Substance					
Remarks	:	SDS according to Art. 31 of Regulation (EC) 1907/2006.					
Chemical name	:	1,1,1,3,3-Pentafluoropropane					
CAS-No.	:	460-73-1					
REACH Registration Number	:	01-0000016587-60					
1.2. Relevant identified uses of the substance or mixture and uses advised against							
Use of the Substance/Mixture	:	Refrigerant Heat transfer fluid					
Uses advised against	:	none					
1.3. Details of the supplier of the safety data sheet							
Company Telephone For further information, please contact:	:	Honeywell Specialty Chemicals Seelze GmbH Wunstorfer Straße 40 30926 Seelze Germany (49) 5137-999 0 PMTEU Product Stewardship: SafetyDataSheet@Honeywell.co	Honeywell International, Inc. 115 Tabor Road Morris Plains, NJ 07950-2546 USA				
1.4. Emergency telephone number							
Emergency telephone number Country based Poison	:	+1-703-527-3887 (ChemTrec-Transport) +1-303-389-1414 (Medical) see chapter 15.1					

Page 1 / 17

according to Regulation (EC) No. 1907/2006

# Honeywell

## HFC-245fa, Genetron® 245fa

## 00000009878

Version 2.8

Revision Date 18.12.2022

Supersedes 1

**Control Center** 

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### REGULATION (EC) No 1272/2008

Gases under pressure Liquefied gas H280 Contains gas under pressure; may explode if heated.

#### 2.2. Label elements

#### REGULATION (EC) No 1272/2008

Hazard pictograms

	V	
:	Warning	
:	H280	Contains gas under pressure; may explode if heated.
:	P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
	P280	Wear protective gloves/ eye protection/ face protection.
	P284	In case of inadequate ventilation wear respiratory protection.
	P308 + P313	IF exposed or concerned: Get medical advice/ attention.
	P410 + P403	Protect from sunlight. Store in a well- ventilated place.
		<ul> <li>H280</li> <li>P260</li> <li>P280</li> <li>P284</li> <li>P308 + P313</li> </ul>

Special labelling of certain : Contains fluorinated greenhouse gases. products:

#### 2.3. Other hazards

High vapour concentrations can cause headaches, dizziness, drowsiness, and nausea, and may lead to

Page 2 / 17

Honeywell

# HFC-245fa, Genetron® 245fa

## 00000009878

Version 2.8

Revision Date 18.12.2022

Supersedes 1

unconsciousness. May cause cardiac arrhythmia.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
1,1,1,3,3- Pentafluoropropane	460-73-1 01-0000016587-60 419-170-6	Press. Gas ; H280	99,8 %	

## 3.2. Mixture

Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8. For the full text of the H-Statements mentioned in this Section, see Section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

#### General advice:

First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately.

Inhalation:

Move to fresh air. Artificial respiration and/or oxygen may be necessary. Call a physician immediately.

Skin contact:

After contact with skin, wash immediately with plenty of water. Take off contaminated clothing and shoes immediately. Wash clothing before reuse. Call a physician immediately.

#### Eye contact:

Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 5 minutes. Call a physician immediately.

Page 3 / 17

Honeywell

# HFC-245fa, Genetron® 245fa

## 00000009878

Version 2.8

Revision Date 18.12.2022

Supersedes 1

:

#### Ingestion:

Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms.

Page 4 / 17

according to Regulation (EC) No. 1907/2006

# Honeywell

# HFC-245fa, Genetron® 245fa

## 00000009878

Version 2.8

Revision Date 18.12.2022

Supersedes 1

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: The product is not flammable. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Carbon dioxide (CO2) Dry chemical Foam

## 5.2. Special hazards arising from the substance or mixture

This product is not flammable at ambient temperatures and atmospheric pressure. However, this material can ignite when mixed with air under pressure and exposed to strong ignition sources. Container may rupture on heating. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Exposure to decomposition products may be a hazard to health. Fire may cause evolution of: Hydrogen fluoride Gaseous hydrogen chloride (HCl). Carbon oxides Halogenated compounds Carbonyl halides

## 5.3. Advice for firefighters

Wear full protective clothing and self-contained breathing apparatus. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Page 5 / 17



# HFC-245fa, Genetron® 245fa

## 00000009878

Version 2.8

Revision Date 18.12.2022

Supersedes 1

Evacuate personnel to safe areas. Wear personal protective equipment. Unprotected persons must be kept away. Ensure adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment. Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing.

#### 6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers).

#### 6.3. Methods and materials for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Minimize contact of spilled material with soils to prevent runoff to surface waterways. Place spilled material in an appropriate container for disposal.

#### 6.4. Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Advice on safe handling:

Do not breathe vapours or spray mist. Do not use in areas without adequate ventilation.

#### Advice on protection against fire and explosion:

Can form a combustible mixture with air at pressures above atmospheric pressure. Keep product and empty container away from heat and sources of ignition.

#### Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Ensure adequate ventilation, especially in confined areas. Remove and wash contaminated clothing before re-use. Contaminated work clothing should not be allowed out of the workplace. Keep working clothes separately. Wash hands before breaks and immediately after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers:

Page 6 / 17

Honeywell

## HFC-245fa, Genetron® 245fa

## 00000009878

Version 2.8

Revision Date 18.12.2022

Supersedes 1

Keep away from direct sunlight. Keep only in the original container in a cool, well ventilated place away from acids.

#### 7.3. Specific end use(s)

Specific use information: Restricted to professional users. For industrial use only.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limits:

Components	Basis / Value type	Value / Form of exposure	Exceeding Factor	Remarks
1,1,1,3,3-Pentafluoropropane				

#### **DNEL/ PNEC-Values**

No DNEL-data available.

No PNEC data available.

#### 8.2. Exposure controls

#### **Occupational exposure controls**

Do not breathe vapours or spray mist.

#### **Engineering measures**

Use with local exhaust ventilation. Perform filling operations only at stations with exhaust ventilation facilities.

#### Personal protective equipment Respiratory protection:

In case of insufficient ventilation wear suitable respiratory equipment. Self-contained breathing apparatus (EN 133)

Page 7 / 17

according to Regulation (EC) No. 1907/2006

# Honeywell

## HFC-245fa, Genetron® 245fa

## 00000009878

Version 2.8

### Revision Date 18.12.2022

Supersedes 1

Hand protection: Glove material: Viton® Vitoject® 890 Gloves must be inspected prior to use. Replace when worn. Remarks:Supplementary note: The specifications are based on information and tests from similar substances by analogy. Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374. Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer reccomends to use the chemical protective glove in practice not longer than 50% of the recomended permeation time. Manufacturer's directions for use should be observed because of great diversity of types . Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de Eye protection: Safety goggles

*Skin and body protection:* Protective footwear

#### **Environmental exposure controls**

Handle in accordance with local environmental regulations and good industrial practices.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	:	gaseous
Colour	:	colourless
Odour	:	weak
molecular weight	:	134,03 g/mol
Melting point/range	:	-103 °C
Boiling point/boiling range	:	15,3 °C
		Page 8 / 17

Honeywell

# HFC-245fa, Genetron® 245fa

## 00000009878

Version 2.8

Revision Date 18.12.2022

Supersedes 1

Flammability	:	No data available
Upper explosion limit	:	None
Lower explosion limit	:	None
Flash point	:	Not applicable
Auto-ignition temperature	:	412 °C
Decomposition temperature	:	250 °C
рН	:	neutral
Water solubility	:	7,18 g/l
Solubility in other solvents	:	Medium: Methanol partly soluble
Solubility in other solvents	:	Medium: Diethylether partly soluble
Partition coefficient: n- octanol/water	:	log Pow 1,35 at: 21,5 °C The product is more soluble in octanol.
Vapour pressure	:	1.227 hPa at 20 °C
Vapour pressure	:	3.882 hPa at 54,4 °C
Density	:	1,32 g/cm3 at 20 °C
Relative vapour density	:	4,6 (Air = 1.0)

9.2 Other Information

Page 9 / 17



HFC-245fa, Genetron® 245fa					
00000009878					
Version 2.8	Revision Date 18.12.2022	Supersedes 1			
Evaporation rate	: <1				
	Method: Compared to Ether (anhydrous)				
Evaporation rate	: >1				
	Method: Compared to CCI4.				
SECTION 10: Stability and r	reactivity				
10.1. Reactivity					
Stable under recommen	ded storage conditions.				
10.2. Chemical stabilit	у				
No data available					
10.3. Possibility of haz	ardous reactions				
No data available	No data available				
10.4. Conditions to avoid					
Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 55 °C. Can form a combustible mixture with air at pressures above atmospheric pressure.					
10.5. Incompatible mat	10.5. Incompatible materials				
Strong oxidizing agents Magnesium Finely divided aluminium					

#### 10.6. Hazardous decomposition products

Halogenated compounds Carbon oxides Hydrogen fluoride Carbonyl halides Gaseous hydrogen chloride (HCI).

Page 10 / 17

according to Regulation (EC) No. 1907/2006



## HFC-245fa, Genetron® 245fa

## 00000009878

Version 2.8

Revision Date 18.12.2022

Supersedes 1

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute oral toxicity: Not applicable

Acute dermal toxicity: LD50 Species: Rabbit Value: > 2.000 mg/kg

Acute inhalation toxicity: LC50 Species: Rat Value: > 200000 ppm Exposure time: 4 h

LC50 Species: Mouse Value: > 100000 ppm Exposure time: 4 h

*Skin irritation:* No skin irritation

Eye irritation: No data available

Respiratory or skin sensitisation: Classification: non-sensitizing

Repeated dose toxicity: Species: Rat Exposure time: 28 d NOAEL: 500 ppm

*Germ cell mutagenicity:* Cell type: Human lymphocytes Result: Weak positive activation without S9 at 30% v/v; not active with S9 up to 70% v/v.

Test Method: Ames test

Page 11 / 17

Honeywell

## HFC-245fa, Genetron® 245fa

## 00000009878

Version 2.8

Revision Date 18.12.2022

Supersedes 1

Metabolic activation: with and without metabolic activation Result: negative

Species: Mouse Cell type: Bone marrow Application Route: Inhalation Method: Mutagenicity (micronucleus test) Result: negative

STOT - single exposure: Assessment: May cause drowsiness or dizziness.

Aspiration hazard: No data available

#### 11.2. Information on other hazards

Endocrine disrupting properties No data available

Other information: Inhalation: May cause cardiac arrhythmia.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

*Toxicity to fish:* LC50 Species: Oncorhynchus mykiss (rainbow trout) Value: > 81,8 mg/l Exposure time: 96 h

NOEC Species: Oncorhynchus mykiss (rainbow trout) Value: > 10 mg/l Exposure time: 96 h

*Toxicity to aquatic plants:* EC50 Growth inhibition Species: Algae

Page 12 / 17

according to Regulation (EC) No. 1907/2006



# HFC-245fa, Genetron® 245fa

## 00000009878

Version 2.8

Revision Date 18.12.2022

Supersedes 1

Value: > 118 mg/l Method: OECD Test Guideline 201

Toxicity to aquatic invertebrates: EC50 Species: Daphnia magna (Water flea) Value: > 97,9 mg/l Exposure time: 48 h NOEC Species: Daphnia magna (Water flea) Value: > 97,9 mg/l Exposure time: 48 h

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No data available

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

No data available

#### 12.6. Endocrine disrupting properties

No data available

#### 12.7. Other adverse effects

Accumulation in aquatic organisms is unlikely.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product:

Offer surplus and non-recyclable solutions to a licensed disposal company. Refer to manufacturer/supplier for information on recovery/recycling.

Page 13 / 17

Honeywell

Revision Date 18.12.2022	Supersedes 1
Revision Date 18.12.2022	Supersedes 1
product may meet the criteria for a hazard	lous waste.Classification: 14.06.01
aste: C; 2008/98/EEC 006	
see section 8.	
ormation	
IMDG:3163	IATA:3163
ng name GAS, N.O.S.(1,1,1,3,3-PENTAFLUOROPRO 5, N.O.S.(1,1,1,3,3-PENTAFLUOROPROPA .s.(1,1,1,3,3-Pentafluoropropane)	
class(es) IMDG: 2.2	IATA: 2.2
azards Marine pollutant: no	
ons for user	
rt in bulk according to IMO instruments	
nformation	
d environmental regulations/legislation	specific for the substance or
r	
	aste: C; 2008/98/EEC 006 see section 8. formation IMDG:3163 ng name GAS, N.O.S.(1,1,1,3,3-PENTAFLUOROPROP/ S, N.O.S.(1,1,1,3,3-PENTAFLUOROPROP/ .s.(1

Honeywell

# HFC-245fa, Genetron® 245fa

## 00000009878

Version 2.8

## Revision Date 18.12.2022

Supersedes 1

Í.	
Austria	+4314064343
Belgium	070 245245
Bulgaria	(+)35929154233
Croatia	(+3851)23-48-342
Cyprus	+357 2240 5611
Czech Republic	+420224919293; +420224915402
Denmark	82121212
Estonia	16662; (+372)6269390
Finland	9471977
France	+33(0)145425959
Greece	+30 210 779 3777
Hungary	(+36-80)201-199
Iceland	5432222
Ireland	+353(1)8092166
Italy	0382 24444
	Berlin : 030/19240
	Bonn : 0228/19240
	Erfurt : 0361/730730
Germany	Freiburg : 0761/19240
Comany	Göttingen : 0551/19240
	Homburg : 06841/19240
	Mainz : 06131/19240
	Munich : 089/19240
Latvia	+37167042473

I	1
Liechtenstein	+41 442515151
Lithuania	+370532362052
Luxembourg	070245245; (+352)80002-5500
Malta	+356 2395 2000
Netherlands	030-2748888
Norway	22591300
Poland	+48 42 25 38 400
Portugal	800250250
Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051
Spain	+34915620420
Sweden	112 (begär Giftinformation);+46104566786
Switzerland	145
United Kingdom	(+44) 844 892 0111

## Other inventory information

US. Toxic Substances Control Act On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended

Page 15 / 17



# HFC-245fa, Genetron® 245fa

## 00000009878

Version 2.8

Revision Date 18.12.2022

Supersedes 1

On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI) On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) Not in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI) On the inventory, or in compliance with the inventory

## 15.2 Chemical safety assessment

A chemical safety assessment has been carried out. In accordance to the article 14(4) of the REACH regulation (EC) No. 1907/2006, exposure estimation and risk characterization is not required.

## **SECTION 16: Other information**

#### Text of H-statements referred to under heading 3

1,1,1,3,3- Pentafluoropropane	:	H280	Contains gas under pressure; may explode if heated.
dichloromethane; methylene	:	H315	Causes skin irritation.
chloride (Impurity)		H319	Causes serious eye irritation.
(		H351	Suspected of causing cancer.

Page 16 / 17

according to Regulation (EC) No. 1907/2006



## HFC-245fa, Genetron® 245fa

## 00000009878

Version 2.8

Revision Date 18.12.2022

Supersedes 1

H336 May cause drowsiness or dizziness.

## **Further information**

All directives and regulations refer to amended versions. Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community CAS Chemical Abstracts Service DNEL Derived no effect level PNEC Predicted no effect level vPvB Very persistent and very biaccumulative substance PBT Persistent, bioaccmulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.

Page 17 / 17