

00000016417

Version 1.0

Revision Date 09.08.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Product name : Honeywell Solstice® N13 Refrigerant (R-450A) SDS-number : 00000016417 Type of product : Mixture Remarks : SDS according to Art. 31 of Regulation (EC) 1907/2006. 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the : Refrigerant Substance/Mixture : none

1.3. Details of the supplier of the safety data sheet

Company	:	Honeywell Advanced Limited Riverview House,Harvey's Quay Apartments V94 R3DE Limerick Ireland	Honeywell International, Inc. 115 Tabor Road Morris Plains, NJ 07950-2546 USA
Telephone	:	(353) 1 903 9302	
For further information, please contact:	:	PMTEU Product Stewardship: SafetyDataSheet@Honeywell.c	om

1.4. Emergency telephone number

Emergency telephone	:	+1-703-527-3887 (ChemTrec-Transport)
number		+1-303-389-1414 (Medical)
Country based Poison	:	see chapter 15.1
Control Center		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture REGULATION (EC) No 1272/2008

Page 1 / 16



00000016417

Version 1.0

Revision Date 09.08.2023

Gases under pressure Liquefied gas H280 Contains gas under pressure; may explode if heated.

2.2. Label elements

REGULATION (EC) No 1272/2008					
Hazard pictograms					
Signal word	: Warning				
Hazard statements	: H280	Contains gas under pressure; may explode if heated.			
Precautionary statements	: P410 + P403	Protect from sunlight. Store in a well- ventilated place.			

Special labelling of certain : Contains fluorinated greenhouse gases. products:

2.3. Other hazards

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Rapid evaporation of the liquid may cause frostbite. This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Chemical name	CAS-No. Index-No. REACH Registration	Classification 1272/2008	Concentration	Remarks
		Page 2 / 16		

Honeywell

Honeywell Solstice® N13 Refrigerant (R-450A)

00000016417

Version 1.0

Revision Date 09.08.2023

	Number EC-No.			
trans-1,3,3,3- Tetrafluoroprop-1- ene	29118-24-9 01-0000019758-54 471-480-0	Press. Gas ; H280	>= 50 % - <= 100 %	
Norflurane	811-97-2 01-2119459374-33 212-377-0	Press. Gas ; H280	>= 25 % - < 50 %	

Remaining components of this product are non-hazardous and/or are present at concentrations below reportable limits.

Occupational Exposure Limit(s), if available, are listed in Section 8. For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately. Keep warm and in a quiet place. Show this safety data sheet to the doctor in attendance.

Inhalation:

If inhaled, remove to fresh air. Get medical attention if irritation develops and persists.

Skin contact:

Rapid evaporation of the liquid may cause frostbite. If there is evidence of frostbite, bathe (do not rub) with lukewarm (not hot) water. If water is not available, cover with a clean, soft cloth or similar covering. Call a physician if irritation develops or persists.

Eye contact:

Immediately flush eye(s) with plenty of water. Call a physician immediately.

Ingestion:

Ingestion is unlikely because of the physical properties and is not expected to be hazardous. As this product is a gas, refer to the inhalation section.

Page 3 / 16

Honeywell Solstice® N13 Refrigerant (R-450A)

00000016417

Version 1.0

Revision Date 09.08.2023

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

See Section 11 for more detailed information on health effects and symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

The product is not flammable.

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Special hazards arising from the substance or mixture

Contents under pressure.

This product is not flammable at ambient temperatures and atmospheric pressure. However, this material can ignite when mixed with air under pressure and exposed to strong ignition sources. Container may rupture on heating. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Fire may cause evolution of:

Hydrogen fluoride

Carbon oxides Halogenated compounds

Carbonyl halides

Page 4 / 16

Honeywell Solstice® N13 Refrigerant (R-450A)

00000016417

Version 1.0

Revision Date 09.08.2023

5.3. Advice for firefighters

In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit. No unprotected exposed skin areas. Exposure to decomposition products may be a hazard to health. In the event of fire, cool tanks with water spray.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear full protective clothing and self-contained breathing apparatus. Keep people away from and upwind of spill/leak. Ventilate the area. Ensure that the oxygen content is >= 19.5%.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. The product evaporates readily.

6.3. Methods and materials for containment and cleaning up

Ventilate the area. Allow to evaporate.

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not burn. Exhaust ventilation at the object is necessary.

Advice on protection against fire and explosion:

Do not spray on a naked flame or any incandescent material. Keep away from direct sunlight. Fire or intense heat may cause violent rupture of packages. Vapours may form explosive mixtures with air. The product is not easily combustible.

Hygiene measures:

Page 5 / 16

Honeywell Solstice® N13 Refrigerant (R-450A)

00000016417

Version 1.0

Revision Date 09.08.2023

Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation, especially in confined areas. Do not breathe vapour. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Keep working clothes separately.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep containers tightly closed in a cool, well-ventilated place. Keep only in the original container at temperature not exceeding 50°C Keep away from direct sunlight.

7.3. Specific end use(s)

no additional data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits:

Components	Basis / Value type	Value / Form of exposure	Exceeding Factor	Remarks
trans-1,3,3,3-Tetrafluoroprop-1-ene	HONEYWELL TWA	800 ppm		We are not aware of any national exposure limit.
Norflurane	HONEYWELL TWA	1.000 ppm		

TWA - Time weighted average

DNEL/ PNEC-Values

Component	End- use/impact	Exposure duration	Value	Exposure routes	Remarks
trans-1,3,3,3- Tetrafluoroprop-1-ene	Workers / Long-term systemic effects		3902 mg/m3	Inhalation	
trans-1,3,3,3- Tetrafluoroprop-1-ene	Consumers / Long-term systemic effects		830 mg/m3	Inhalation	

Page 6 / 16

Honeywell

Honeywell Solstice® N13 Refrigerant (R-450A)

00000016417

Version 1.0

Revision Date 09.08.2023

Norflurane	Workers / Long-term systemic effects	13936 mg/m3	Inhalation	
Norflurane	Consumers / Long-term systemic effects	2476 mg/m3	Inhalation	

Component	Environmental compartment / Value	Remarks
trans-1,3,3,3-Tetrafluoroprop-1-ene	Fresh water: 0,1 mg/l	Assessment factor: 1000
Norflurane	Fresh water: 0,1 mg/l	Assessment factor: 1000
Norflurane	Marine water: 0,01 mg/l	Assessment factor: 10000
Norflurane	Fresh water sediment: 0,75 mg/kg	Assessment factor: 100
Norflurane	Sewage treatment plant: 73 mg/l	Assessment factor: 10

8.2. Exposure controls

Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Avoid inhalation of vapour or mist.

Avoid innalation of vapour of this

Engineering measures

General room ventilation is adequate for storage and handling. Perform filling operations only at stations with exhaust ventilation facilities.

Personal protective equipment

Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment.

Page 7 / 16

Honeywell Solstice® N13 Refrigerant (R-450A)

00000016417

Version 1.0

Revision Date 09.08.2023

Self-contained breathing apparatus (EN 133)

Hand protection: Protective gloves against cold (EN 511) Gloves must be inspected prior to use. Replace when worn.

Eye protection: Safety goggles

Skin and body protection: Wear suitable protective equipment.

Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	gaseous
Colour	:	clear and colourless
Odour	:	slight ether-like
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Upper explosion limit	:	None
Lower explosion limit	:	None
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available

Page 8 / 16



Honeywell Solstice® N13 Refrigerant (R-450A)

00000016417

Version 1.0		Revision Date 09.08.2023
Decomposition temperature	:	250 °C Decomposition temperature
		To avoid thermal decomposition, do not overheat.
Partition coefficient: n-	:	- 3 - 7 7
octanol/water		Medium: 1,1,1,2-tetrafluoroethane (HFC-134a)
Partition coefficient: n- octanol/water	:	log Pow 1,6 Medium: trans-1,3,3,3-Tetrafluoroprop-1-ene
Vapour pressure	:	554 kPa
		at 20 °C
Vapour pressure	:	1.389 kPa at 54,4 °C
Density	:	No data available

9.2 Other Information

no additional data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

>250 °C Decomposition temperature To avoid thermal decomposition, do not overheat.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Page 9 / 16

Honeywell Solstice® N13 Refrigerant (R-450A)

00000016417

Version 1.0

Revision Date 09.08.2023

Some risk may be expected of corrosive and toxic decomposition products. Heat, flames and sparks.

10.5. Incompatible materials

Finely divided aluminium Potassium Calcium Powdered metals Aluminium Magnesium Zinc

10.6. Hazardous decomposition products

Halogenated compounds Hydrogen fluoride Carbon oxides Carbonyl halides

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity: Not applicable

Acute dermal toxicity: No data available

Acute inhalation toxicity: LC50 Species: Rat Value: > 207000 ppm Exposure time: 4 h Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene

LC50 Species: Rat Value: > 50000 ppm Exposure time: 4 h Test substance: 1,1,1,2-tetrafluoroethane (HFC-134a)

Skin irritation:

Page 10 / 16

Honeywell

Honeywell Solstice® N13 Refrigerant (R-450A)

00000016417

Version 1.0

Revision Date 09.08.2023

Species: Rabbit Result: No skin irritation Method: OECD Test Guideline 404 Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene

Eye irritation: No data available

Respiratory or skin sensitisation: No data available

Aspiration hazard: No data available

11.2. Information on other hazards

Endocrine disrupting properties No data available

Other information: May cause cardiac arrhythmia.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish: NOEC Species: Cyprinus carpio (Carp) Value: > 117 mg/l Exposure time: 96 h Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene

Toxicity to aquatic plants: NOEC Growth inhibition Species: Algae Value: > 170 mg/l Exposure time: 72 h Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene

Toxicity to aquatic invertebrates:

Page 11 / 16

Honeywell

Honeywell Solstice® N13 Refrigerant (R-450A)

00000016417

Version 1.0

Revision Date 09.08.2023

EC50 Species: Daphnia magna (Water flea) Value: > 160 mg/l Exposure time: 48 h Test substance: trans-1,3,3,3-Tetrafluoroprop-1-ene

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product: Dispose according to legal requirements. Contact manufacturer.

Packaging:

Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Further information: Provisions relating to waste: EC Directive 2006/12/EC; 2008/98/EEC Regulation No. 1013/2006

For personal protection see section 8.

Page 12 / 16

SAFETY DATA SHEET	-
according to Regulation (EC) No.	1907/2006, as amended



00000016417

Version 1.0

Revision Date 09.08.2023

SECTION 14: Transport information

14.1 UN number ADR/RID:3163

IMDG:3163

IATA:3163

IATA: 2.2

14.2 UN proper shipping name

ADR/RID:LIQUEFIED GAS, N.O.S.(TRANS-1,3,3,3-TETRAFLUOROPROP-1-ENE, 1,1,1,2-TETRAFLUOROETHANE) IMDG:LIQUEFIED GAS, N.O.S.(TRANS-1,3,3,3-TETRAFLUOROPROP-1-ENE,1,1,1,2-TETRAFLUOROETHANE) IATA:Liquefied gas, n.o.s.(trans-1,3,3,3-Tetrafluoroprop-1-ene, 1,1,1,2-Tetrafluoroethane)

14.3 Transport hazard class(es) ADR/RID: 2.2 IMDG: 2.2

14.4 Packaging group

14.5 Environmental hazards ADR/RID:no

Marine pollutant: no

14.6 Special precautions for user No data available

14.7 Maritime transport in bulk according to IMO instruments No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Control Center

Country	Phone Number	Country	Phone Number
Austria	+4314064343	Liechtenstein	+41 442515151
Belgium	070 245245	Lithuania	+370532362052
Bulgaria	(+)35929154233	Luxembourg	070245245; (+352)80002-5500
Croatia	(+3851)23-48-342	Malta	+356 2395 2000
Cyprus	+357 2240 5611	Netherlands	030-2748888

Page 13 / 16

Honeywell

Honeywell Solstice® N13 Refrigerant (R-450A)

00000016417

Version 1.0

Revision Date 09.08.2023

Czech Republic	+420224919293; +420224915402
Denmark	82121212
Estonia	16662; (+372)6269390
Finland	9471977
France	+33(0)145425959
Greece	+30 210 779 3777
Hungary	(+36-80)201-199
Iceland	5432222
Ireland	+353(1)8092166
Italy	0382 24444
	Berlin : 030/19240
	Bonn : 0228/19240
	Erfurt : 0361/730730
Germany	Freiburg : 0761/19240
Connany	Göttingen : 0551/19240
	Homburg : 06841/19240
	Mainz : 06131/19240
	Munich : 089/19240
Latvia	+37167042473

Norway	22591300	
Poland	+48 42 25 38 400	
Portugal	800250250	
Romania	+40 21 318 3606	
Slovakia (NTIC)	+421 2 54 774 166	
Slovenia	+386 1 400 6051	
Spain	+34915620420	
Sweden	112 (begär Giftinformation);+46104566786	
Switzerland	145	
United Kingdom	(+44) 844 892 0111	

Other inventory information

US. Toxic Substances Control Act On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List On the inventory, or in compliance with the inventory

Page 14 / 16



00000016417

Version 1.0

Revision Date 09.08.2023

Korea. Existing Chemicals Inventory (KECI) On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) Not in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand Not in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI) On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Text of H-statements referred to under heading 3

trans-1,3,3,3- Tetrafluoroprop-1-ene	:	H280	Contains gas under pressure; may explode if heated.
Norflurane	:	H280	Contains gas under pressure; may explode if heated.

Further information

All directives and regulations refer to amended versions. Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations: EC European Community CAS Chemical Abstracts Service DNEL Derived no effect level PNEC Predicted no effect level vPvB Very persistent and very biaccumulative substance PBT Persistent, bioaccmulative und toxic substance

Page 15 / 16



00000016417

Version 1.0

Revision Date 09.08.2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.

Page 16 / 16