

with 1907/2006/EC

Trade name: R452A

Current version: 3.1.0. issued: 21.12.2022 Replaced version: 3.0.0. issued: 11.01.2022 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name

R452A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Industrial Use Professional use Refrigerant

Uses advised against

Consumer use

1.3 Details of the supplier of the safety data sheet

Address

TEGA - Technische Gase und Gasetechnik GmbH

Werner-von-Siemens-Straße 18

97076 Würzburg

+49 931 2093-220 Telephone no. +49 931 2093-180 Fax no. e-mail kaeltemittel@tega.de

Advice on Safety Data Sheet

sdb info@umco.de

1.4 **Emergency telephone number**

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Press. Gas liq.; H280

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word

Warning

Hazard statement(s)

H280 Contains gas under pressure; may explode if heated.

Precautionary statement(s)

with 1907/2006/EC

TEGR

Trade name: R452A

Current version: 3.1.0, issued: 21.12.2022 Reglaced version: 3.0.0, issued: 11.01.2022 Region: GB

P410+P403

Protect from sunlight. Store in a well-ventilated place.

Supplemental label elements

Contains fluorinated greenhouse gases (HFC-125, HFC-1234yf, HFC-32).

2.3 Other hazards

Danger of suffocation by displacement of air / oxygen. Contact with the liquid can cause cold burns or frostbite. Abuse or intentional inhalation can be fatal as a result of effects on the heart without alarming symptoms.

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization

Fluorinated hydrocarbons

Hazardous ingredients

No	Substance name		Additi	onal information)	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1	pentafluoroethane					
	354-33-6	Press. Gas liq.; H280	>=	50.00 - <	70.00	Vol%
	206-557-8					
	-					
	01-2119485636-25					
2	2,3,3,3-tetrafluoroprop-1-ene					
	754-12-1	Flam. Gas 1A; H220	>=	25.00 - <	50.00	Vol%
	468-710-7	Press. Gas liq.; H280				
	-					
	01-0000019665-61					
3	difluoromethane					
	75-10-5	Flam. Gas 1A; H220	>=	10.00 - <	25.00	Vol%
	200-839-4	Press. Gas liq.; H280				
	-					
	01-2119471312-47					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. Remove affected person from danger area, lay him down. Seek medical advice immediately.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. Call a doctor immediately.

After skin contact

In case of contact with skin wash off immediately with soap and water. Rinse with much water in case of frostbites. Remove chlothes only after unfreezing. Cover wounds with sterile dressing. Call a doctor immediately.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

with 1907/2006/EC



Trade name: R452A

Current version: 3.1.0, issued: 21.12.2022 Region: 3.0.0, issued: 11.01.2022 Region: GB

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

The following symptoms may occur: cardiac arrhytmia; anesthetic effect; Light-headedness; Dizziness; confusion; Unconsciousness; muscle incoordination; respiratory arrest. Contact with liquefied gas can cause damage (frostbite) due to rapid evaporative cooling.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; Hydrogen fluoride (HF); Carbonyl fluoride; fluorine compounds; Liquefied gas: Spilled liquid can cause cold burns. This gas is heavier than air and may accumulate in low areas. The product is not flammable. Exposure to heat may cause bursting of the vessels.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear full protective suit. Containers close to fire should be transferred to a safe place. Cool closed containers exposed to fire with water. Pressure increase, bursting and explosion hazard during heating. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Provide good room ventilation even at ground level (vapours are heavier than air). Do not breathe gas. Keep away from ignition sources. Use personal protective clothing. Cordon and mark contaminated area. Remove persons to safety. Avoid skin contact with leaking liquid (danger of frostbite!).

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Avoid release in the environment. Suppress gases/vapours/mists with water spray jet.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

with 1907/2006/EC



Trade name: R452A

Current version: 3.1.0, issued: 21.12.2022 Region: 3.0.0, issued: 11.01.2022 Region: GB

Only qualified and trained persons are authorised to handle. Provide good ventilation at the work area (local exhaust ventilation, if necessary). To be used only according to instructions for use. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose containers heat or sources of ignition. In case of accidental release: danger due to low temperature of the liquid product. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Comply with the health and safety at work laws.

General protective and hygiene measures

Wash hands before breaks and after work. Do not inhale gases. Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Have emergency shower available. Provide eye wash fountain in work area.

Advice on protection against fire and explosion

The product is not combustible. Isolate from sources of heat, sparks and open flame. Take precautionary measures against electrostatic loading (earthing necessary during loading operations). Electrical equipment should be protected to the appropriate standard.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place, open and handle carefully. Protect from heat and direct sunlight.

Recommended storage temperature

Value < 50 °C

Storage stability

Value > 10 a

Comments When stored properly, the storage life is unlimited.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Do not store together with: self-heating substances and mixtures; self-reactive substances and mixtures; flammable substances; oxidizing agents; pyrophoric substances; explosives; toxic substances and mixtures; toxic substances and mixtures

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value
1	pentafluoroethane			354-33-6
				206-557-8
	inhalative	Long term (chronic)	systemic	16444 mg/m³
2	2,3,3,3-tetrafluoroprop-1-ene			754-12-1
				468-710-7
	inhalative	Long term (chronic)	systemic	950 mg/m³
3	difluoromethane			75-10-5
				200-839-4
	inhalative	Long term (chronic)	systemic	7035 mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value



with 1907/2006/EC

Trade name: R452A

Current version: 3.1.0, issued: 21.12.2022 Replaced version: 3.0.0, issued: 11.01.2022 Region: GB

1	pentafluoroethane			354-33-6 206-557-8	
	inhalative	Long term (chronic)	systemic	1753	mg/m³
2	2,3,3,3-tetrafluoroprop-1-ene			754-12-1	
				468-710-7	
	inhalative	Long term (chronic)	systemic	186400	mg/m³
3	difluoromethane			75-10-5	
				200-839-4	
	inhalative	Long term (chronic)	systemic	750	mg/m³

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	pentafluoroethane		354-33-6 206-557-8	
	water	fresh water	0.1	mg/L
	water	fresh water sediment	0.6	mg/kg dry weight
2	2,3,3,3-tetrafluoroprop-1-ene		754-12-1 468-710-7	
	water	fresh water	0.1	mg/L
	water	Aqua intermittent	1	mg/L
3	difluoromethane		75-10-5	
			200-839-4	
	water	fresh water	0.142	mg/L
	water	Aqua intermittent	1.42	mg/L
	water	fresh water sediment	0.543	mg/kg dry weight

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, local exhaust at the work station if necessary. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

Self-contained breathing apparatus. In case of insufficient ventilation or long-term effect use breathing apparatus. Danger of suffocation due to high concentrations in breathing air.

Respiratory filter (gas): AX

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Low-temperature-resistant gloves (EN 511). Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material Leather

Other

Chemical-resistant work clothes. Protective shoes.

Environmental exposure controls

Information regarding waste disposal, see chapter 13.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation

TEGR

with 1907/2006/EC

Trade name: R452A

Relative density

Current version: 3.1.0, issued: 21.12.2022 Replaced version: 3.0.0, issued: 11.01.2022 Region: GB

Gas Form Equified gas				
Colour C	gas			
Colour C	Form			
Colour Colourless, clear Colourless, cle				
Colourless, clear Colour				
Odour slightly like ether PH value No data available Boiling point / boiling range Value Source Supplier Melting point/freezing point No data available Decomposition temperature No data available Flash point No data available Flash point No data available Ignition temperature No data available Oxidising properties The product does not have explosive properties. Flamability The product fose not now explosive properties. Flamability The product is not combustible. Source Source Source ASTM E 681 Source Value ASTM E 681 Source Supplier Value Source Supplier Relative vapour density Value Source Supplier Exposive vapolic and the supplier Selection of the supplier Source Supplier Value Source Supplier Evaporation rate Value Source Supplier Flamability Supplier Source Supplier I 3159 hPa Seference temperature Source Supplier Flamability Supplier Value Source Supplier Flamability Supplier I 3.64 Source Supplier Evaporation rate Value Source Supplier				
Slightly like ether PH value No data available Source Supplier PH value PH	colouriess, clear			
Description	Odour			
No data available Source Supplier Su	slightly like ether			
No data available Source Supplier Su	nH value			
Boiling point / boiling range Value Supplier Supplier Supplier				
Value Supplier Supplier				
Source Supplier			47	90
Melting point/freezing point			-47	°C
No data available	Source	Supplier		
Decomposition temperature No data available	Melting point/freezing point			
No data available	No data available			
No data available	Decomposition temperature			
Ignition temperature	No data available			
Ignition temperature	Flash point			
Ignition temperature No data available Oxidising properties not oxidizing Explosive properties The product does not have explosive properties. Flammability The product is not combustible. Source supplier Lower explosion limit none Method ASTM E 681 Source supplier Upper explosion limit none Method ASTM E 681 Source supplier Vapour pressure Value 13159 hPa Reference temperature 25 °C Source supplier Relative vapour density Value 3.64 Source Supplier Example Supplier Example Supplier Example Supplier Supplier Relative rapid Supplier Supplier Example Supplier Sup				
No data available				
Dxidising properties	Ignition temperature			
Explosive properties				
Explosive properties The product does not have explosive properties. Flammability The product is not combustible. Source supplier Lower explosion limit none ASTM E 681 Source supplier Upper explosion limit none ASTM E 681 Source Supplier Upper explosion limit none ASTM E 681 Source Supplier Vapour pressure Supplier Value Supplier Supplier Reference temperature Supplier Supplier Relative vapour density Value Supplier Supp	Oxidising properties			
The product does not have explosive properties. Flammability The product is not combustible. Source supplier Lower explosion limit none Method ASTM E 681 Source supplier Upper explosion limit none Method ASTM E 681 Source supplier Vapour pressure Value 13159 hPa Reference temperature 25 °C Source supplier Relative vapour density Value 3.64 Source Supplier Relative vapour density Value 3.64 Source Supplier Evaporation rate Value > 1 Source Supplier Evaporation rate Value > 1 Source Supplier Evaporation rate Value > 1 Source Supplier	not oxidizing			
The product does not have explosive properties. Flammability The product is not combustible. Source supplier Lower explosion limit none Method ASTM E 681 Source supplier Upper explosion limit none Method ASTM E 681 Source supplier Vapour pressure Value 13159 hPa Reference temperature 25 °C Source supplier Relative vapour density Value 3.64 Source Supplier Relative vapour density Value 3.64 Source Supplier Evaporation rate Value > 1 Source Supplier Evaporation rate Value > 1 Source Supplier Evaporation rate Value > 1 Source Supplier	Explosive properties			
Flammability The product is not combustible. Source supplier Lower explosion limit none Method ASTM E 681 Source supplier Upper explosion limit none Method ASTM E 681 Source supplier Vapour pressure Value 13159 hPa Reference temperature 25 °C Source supplier Relative vapour density Value 3.64 Source Supplier Revaporation rate Value > 1 Source supplier Evaporation rate Value > 1 Source supplier	The product does not have explosive properties.			
The product is not combustible. Source supplier Lower explosion limit none Method ASTM E 681 Source supplier Upper explosion limit none Method Source Method Source Method Source Vapour pressure Value 13159 hPa Reference temperature 25 °C Source supplier Relative vapour density Value 3.64 Source supplier Evaporation rate Value > 1 Source supplier Evaporation rate Value > 1 Source supplier				
Source Supplier	The product is not combustible			
Lower explosion limit none Method Source Supplier Upper explosion limit none Method Source ASTM E 681 Supplier Vapour pressure Value Reference temperature Source Source Relative vapour density Value Source Source Supplier Evaporation rate Value Source Source Supplier Evaporation rate Value Source Source Supplier		supplier		
none Method Source Supplier Upper explosion limit none Method ASTM E 681 Source Supplier Vapour pressure Value 13159 hPa Reference temperature 25 °C Source Supplier Relative vapour density Value 3.64 Source Supplier Relative vapour density Value 3.64 Source Supplier Evaporation rate Value > 1 Source Supplier Evaporation rate Value > 1 Source Supplier		Гоприног		
Method Source Supplier				
Source Supplier		A OTNA E COA		
Upper explosion limit none ASTM E 681 Method supplier Vapour pressure 13159 hPa Value 25 °C Source supplier Relative vapour density 3.64 Value supplier Comments Air = 1 Evaporation rate Value Value > 1 Source supplier				
Nethod Source Supplier Vapour pressure Value 13159 hPa Reference temperature 25 °C Source Supplier Relative vapour density Value 3.64 Source Supplier Evaporation rate Value > 1 Source Supplier		Supplier		
Method Source Supplier Vapour pressure Value 13159 hPa 25 °C Source supplier Reference temperature 25 °C Source Relative vapour density Value 3.64 Source comments Supplier Evaporation rate Value > 1 Source Supplier				
Vapour pressure 13159 hPa Value 25 °C Source supplier Relative vapour density 3.64 Value 3.64 Source supplier Comments Air = 1 Evaporation rate Value Value > 1 Source supplier		I.O		
Vapour pressure Value 13159 hPa Reference temperature 25 °C Source supplier Relative vapour density Value 3.64 Source supplier Comments Air = 1 Evaporation rate Value Source Source Value Source Supplier Supplier				
Value Reference temperature 25 °C Source Supplier Relative vapour density Value 3.64 Source Supplier Evaporation rate Value > 13159 hPa 25 °C Supplier 3.64 Supplier Limit	Source	Supplier		
Reference temperature Source Source Supplier Relative vapour density Value Source Comments Supplier Evaporation rate Value Source Value Source Supplier Source Supplier Supplier Supplier Supplier Supplier				
Relative vapour density Value 3.64 Source supplier Comments Air = 1 Evaporation rate Value > 1 Source supplier				
Relative vapour density Value 3.64 Source supplier Comments Air = 1 Evaporation rate Value Value > 1 Source supplier			25	°C
Value 3.64 Source supplier Comments Air = 1 Evaporation rate Value Value > 1 Source supplier	Source	supplier		
Value 3.64 Source supplier Comments Air = 1 Evaporation rate Value Value > 1 Source supplier	Relative vapour density			
Comments Air = 1 Evaporation rate Value	Value		3.64	
Evaporation rate Value > 1 Source supplier				
Value > 1 Source supplier	Comments	Air = 1		
Value > 1 Source supplier	Evaporation rate			
	Value		1	
Comments CCI4 = 1				
	Comments	CCl4 = 1		



with 1907/2006/EC

Trade name: R452A

Current version: 3.1.0, issued: 21.12.2022 Replaced version: 3.0.0, issued: 11.01.2022 Region: GB

Value	1.13
Reference temperature	25 °C
Source	supplier

Density
No data available

Solubility	
No data available	

Part	Partition coefficient n-octanol/water (log value)						
No	Substance name		CAS no.		EC no.		
1	pentafluoroethane		354-33-6		206-557-8		
log F	Pow			1.48			
Refe	erence temperature			25	°C		
with	reference to	pH 6.34					
Meth	nod	OECD 107					
Sou	rce	ECHA					
2	2,3,3,3-tetrafluoroprop-1-ene		754-12-1		468-710-7		
log F	Pow	appr.		2			
Refe	erence temperature			25	°C		
with	reference to	pH 7					
Meth	nod	OECD 117					
Sou	rce	ECHA					
3	difluoromethane		75-10-5		200-839-4		
log F	Pow			0.21			
Refe	erence temperature			25	°C		
with	reference to	pH 6,1					
Meth	nod	OECD 107					
Sou	rce	ECHA					

Kinematic viscosity	
No data available	

Particle characteristics

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

Reacts with strong oxidizing agents.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources. Temperatures > 50°C.

10.5 Incompatible materials

strong oxidizing agents

10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

TEGR

with 1907/2006/EC

Trade name: R452A

Current version: 3.1.0, issued: 21.12.2022 Reglaced version: 3.0.0, issued: 11.01.2022 Region: GB

Acute oral toxicity	
No data available	

Acute dermal toxicity

No data available

Acute inhalational toxicity						
No	Substance name		CAS no.		EC no.	
1	2,3,3,3-tetrafluoroprop-1-ene		754-12-1		468-710-7	
LC5	0	>		405800	ppmV	
Dura	ation of exposure			4	h	
State of aggregation		Gas				
Spe	cies	rat				
Meth	nod	OECD 403				
Sou	rce	ECHA				

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity					
No Substance name	CAS no. EC no.				
1 pentafluoroethane	354-33-6 206-557-8				
Type of examination	in vitro gene mutation study in bacteria				
Species	Salmonella typhimurium / Escherichia coli				
Method	OECD 471				
Source	ECHA				
Evaluation/classification	Based on available data, the classification criteria are not met.				
Type of examination	In vitro Mammalian Chromosomal Aberration Test				
Species	Chinese hamster Ovary (CHO)				
Method	OECD 473				
Source	ECHA				
Evaluation/classification	Based on available data, the classification criteria are not met.				
Route of exposure	inhalational				
Type of examination	Mammalian Erythrocyte Micronucleus Test, In vivo				
Species	mouse				
Method	OECD 474				
Source	ECHA				
Evaluation/classification	Based on available data, the classification criteria are not met.				
2 2,3,3,3-tetrafluoroprop-1-ene	754-12-1 468-710-7				
Type of examination	Genotoxicity in vitro				
Source	ECHA				
Evaluation/classification	Based on available data, the classification criteria are not met.				
Type of examination	Genotoxicity in vivo				
Source	ECHA				
Evaluation/classification	Based on available data, the classification criteria are not met.				
3 difluoromethane	75-10-5 200-839-4				
Type of examination	in vitro gene mutation study in bacteria				
Species	Salmonella typhimurium / Escherichia coli				
Method	OECD 471				
Source	ECHA				
Evaluation/classification	Based on available data, the classification criteria are not met.				
Type of examination	In vitro Mammalian Chromosomal Aberration Test				
Species	Human Lymphocyte				
Method	OECD 473				
Source	ECHA				
Evaluation/classification	Based on available data, the classification criteria are not met.				

TEGR

with 1907/2006/EC

Trade name: R452A

Current version: 3.1.0, issued: 21.12.2022 Reglaced version: 3.0.0, issued: 11.01.2022 Region: GB

Rep	Reproduction toxicity						
No	Substance name	CAS no.	EC no.				
1	2,3,3,3-tetrafluoroprop-1-ene	754-12-1	468-710-7				
Туре	e of examination	2 generation study					
Method		OECD 416	OECD 416				
Sou	rce	ECHA	ECHA				
Eval	uation/classification	Based on available data, the classification criteria are not met.					
Туре	e of examination	Prenatal Developmental Toxicity Study					
Method		OECD 414					
Source ECHA							
Eval	uation/classification	Based on available data, the class	sification criteria are not met.				

Carcinogenicity	
No data available	

STOT - single exposure

No data available

STOT - repeated exposure		
No Substance name	CAS no.	EC no.
1 pentafluoroethane	354-33-6	206-557-8
Route of exposure	inhalational	
Species	rat	
Method	OECD 413	
Source	ECHA	
Evaluation/classification	Based on available data, the classification	r criteria are not met.
2 2,3,3,3-tetrafluoroprop-1-ene	754-12-1	468-710-7
Route of exposure	inhalational	
Species	rat	
Method	OECD 413	
Source	ECHA	
Evaluation/classification	Based on available data, the classification	r criteria are not met.
3 difluoromethane	75-10-5	200-839-4
Route of exposure	inhalational	
Species	rat	
Source	ECHA	
Evaluation/classification	Based on available data, the classification	r criteria are not met.

Aspiration hazard	
No data available	

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Tox	Toxicity to fish (acute)							
No	Substance name	CAS no.		EC no.				
1	2,3,3,3-tetrafluoroprop-1-ene	754-12-1		468-710-7				
LC5	0	>	197	mg/l				
Dura	ation of exposure		96	h				
Species		Cyprinus carpio						
Met	nod	OECD 203						
Sou	rce	ECHA						

Toxicity to fish (chronic	

TEGR

with 1907/2006/EC

Trade name: R452A

Current version: 3.1.0, issued: 21.12.2022 Reglaced version: 3.0.0, issued: 11.01.2022 Region: GB

NIO	data	21/21	In	בור
INU	uala	avai	ıaı	ᄁᆫ

Toxi	Toxicity to Daphnia (acute)							
No	Substance name	CAS no.		EC no.				
1	2,3,3,3-tetrafluoroprop-1-ene	754-12-1		468-710-7				
EC5	50	>	83	mg/l				
Dura	ation of exposure		48	h				
Species		Daphnia magna						
Method		OECD 202						
Soul	rce	ECHA						

Toxicity to Daphnia (chronic)

No data available

Toxi	Toxicity to algae (acute)						
No	Substance name	CAS	S no.	EC no.			
1	2,3,3,3-tetrafluoroprop-1-ene	754	-12-1	468-710-7			
EC5	0	>	100	mg/l			
Dura	ation of exposure		72	h			
Species		Pseudokirchneriel	la subcapitata				
Method		OECD 201					
Soul	rce	ECHA					

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability

	z reisistence and degradability						
Biod	legradability						
No	Substance name	CAS no.		EC no.			
1	pentafluoroethane	354-33-6		206-557-8			
Туре		aerobic biodegradation					
Valu		appr.	5	%			
Dura	ition		28	d			
Meth	nod	Closed Bottle Test (OECD 3	301D)				
Sour	ce	ECHA					
Eval	uation	not readily biodegradable					
2	2,3,3,3-tetrafluoroprop-1-ene	754-12-1		468-710-7			
Туре		aerobic biodegradation					
Valu	e	<	5	%			
Dura	ition		28	d			
Meth	nod	OECD 301 F					
Sour	ce	ECHA					
Eval	uation	not readily biodegradable					
3	difluoromethane	75-10-5		200-839-4			
Туре		aerobic biodegradation					
Valu	e		5	%			
Dura	tion		28	d			
Meth	nod	OECD 301 D					
Sour	rce	ECHA					
Eval	uation	not readily biodegradable					

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)				
No	Substance name	CAS r	10.	EC no.	
1	pentafluoroethane	354-33	3-6	206-557-8	
log F	Pow		1.48		
Refe	erence temperature		25	°C	
with reference to		pH 6.34			
Meth	nod	OECD 107			



with 1907/2006/EC

Trade name: R452A

Current version: 3.1.0, issued: 21.12.2022 Region: 3.0.0, issued: 11.01.2022 Region: GB

Soul	rce	ECHA				
2	2,3,3,3-tetrafluoroprop-1-ene		754-12-1		468-710-7	
log F	Pow	appr.		2		
Reference temperature				25	°C	
with	with reference to					
Method		OECD 117				
Source		ECHA				
3	difluoromethane		75-10-5		200-839-4	
log F	Pow			0.21		
Reference temperature				25	°C	
with reference to		pH 6,1				
Method		OECD 107				
Source		ECHA				

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment		
PBT assessment	The product is not considered to be a PBT.	
vPvB assessment	The product is not considered to be a vPvB.	

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

Other adverse effects	
Contains fluorinated greenhouse gases.	
Product: Global warming potential within 100 years: 2.140.45	

12.8 Other information

_	- Carlot information
	Other information
	Do not discharge product uncontrolled into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

dispose of in accordance with local regulation.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Disposal should be observed in conformity with the Regional Waste Disposal Authority.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 2
Classification code 2A
Hazard identification no. 20
UN number UN1078

Proper shipping name REFRIGERANT GAS, N.O.S.

Technical name pentafluoroethane

2,3,3,3-tetrafluoroprop-1-ene

Tunnel restriction code C/

Label 2.2 RID: (+13)

14.2 Transport IMDG

Class 2.2 UN number UN1078

Proper shipping name REFRIGERANT GAS, N.O.S.

TEGR

with 1907/2006/EC

Trade name: R452A

Current version: 3.1.0, issued: 21.12.2022 Region: 3.0.0, issued: 11.01.2022 Region: GB

Technical name pentafluoroethane

2,3,3,3-tetrafluoroprop-1-ene

EmS F-C, S-V Label 2.2

14.3 Transport ICAO-TI / IATA

Class 2.2 UN number UN1078

Proper shipping name Refrigerant gas, n.o.s. Technical name pentafluoroethane

2,3,3,3-tetrafluoroprop-1-ene

Label 2.2

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

To be transported always in closed, upright and safe containers. Make sure that persons handling these containers are aware of the rules of conduct in case of incident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subject to restriction as listed in Annex XVII of the REACH regulation (EC) 1907/2006.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

REGULATION (EU) No 517/2014 on fluorinated greenhouse gases

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

Chemical safety assessments have been conducted for the substances in this mixture. For a mixture a chemical safety assessment according to (EC) 1907/2006 is not mandatory.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

TEGR

with 1907/2006/EC

Trade name: R452A

Current version: 3.1.0, issued: 21.12.2022 Replaced version: 3.0.0, issued: 11.01.2022 Region: GB

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H220 Extremely flammable gas.

Creation of the safety data sheet

UMCO GmbH

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 758265