

### with 1907/2006/EC

Trade name: R-1234yf

Current version: 1.1.0, issued: 31.07.2025 Replaced version: 1.0.0, issued: 26.06.2024 Region:

GER

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name

### R-1234vf

Substance name 2,3,3,3-tetrafluoroprop-1-ene

REACH registration no. 01-0000019665-61

**Identification numbers** 

CAS no. 754-12-1 EC no. 468-710-7

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

### Relevant identified uses of the substance or mixture

Industrial Use Professional use Refrigerant

### Uses advised against

Consumer use

### 1.3 Details of the supplier of the safety data sheet

#### Address

TEGA - Technische Gase und Gasetechnik GmbH

Werner-von-Siemens-Straße 18

97076 Würzburg

Telephone no. +49 931 2093-220 Fax no. +49 931 2093-180 e-mail kaeltemittel@tega.de

### **Advice on Safety Data Sheet**

sdb\_info@umco.de

### 1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Flam. Gas 1B; H221 Press. Gas liq.; H280

### **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3 and 4 of Annex I to CLP.

### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

### **Product identifier**

754-12-1 (2,3,3,3-tetrafluoroprop-1-ene)

### **Hazard pictograms**

Trade name: R-1234yf

with 1907/2006/EC

Current version: 1.1.0. issued: 31.07.2025 Replaced version: 1.0.0. issued: 26.06.2024 Region:

GER





Signal word

Danger

### Hazard statement(s)

H221 Flammable gas.

H280 Contains gas under pressure; may explode if heated.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

P381 In case of leakage, eliminate all ignition sources. P410+P403 Protect from sunlight. Store in a well-ventilated place.

### Supplemental label elements

Contains fluorinated greenhouse gas

#### 2.3 Other hazards

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Misuse or intentional inhalation can be fatal, as a result of effects on the heart, without alarming symptoms. Rapid evaporation of product may produce frostbite. May displace oxygen and cause rapid asphyxiation.

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

### Chemical characterization

Substance name 2,3,3,3-tetrafluoroprop-1-ene

Formula C3H2F4 Molecular weight 114

Identification numbers

CAS no. 754-12-1 EC no. 468-710-7

### Other information

Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
-	Flam. Gas 1B; H221: C >= 6,2%	_	-

#### 3.2 **Mixtures**

Not applicable. The product is not a mixture.

### **SECTION 4: First aid measures**

#### **Description of first aid measures** 4.1

### **General information**

Adhere to personal protective measures when giving first aid. Remove affected person from danger area, lay him down. Remove soiled or soaked clothing immediately.

### After inhalation

## with 1907/2006/EC

Trade name: R-1234yf

Region: Current version: 1.1.0. issued: 31.07.2025 Replaced version: 1.0.0. issued: 26.06.2024

GER

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. Call a doctor immediately.

In case of contact with skin wash off immediately with soap and water. Rinse with much water in case of frostbites. Remove chlothes only after unfreezing. Cover wounds with sterile dressing. Call a doctor immediately.

### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

### After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor. Unlikely route of exposure.

#### 4.2 Most important symptoms and effects, both acute and delayed

### **Symptoms**

The following symptoms may occur: cardiac arrhytmia; anesthetic effect; Light-headedness; Dizziness; confusion; Unconsciousness; muscle incoordination; respiratory arrest. Contact with liquefied gas can cause damage (frostbite) due to rapid evaporative cooling.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

### **SECTION 5: Firefighting measures**

#### 5.1 **Extinguishing media**

### Suitable extinguishing media

Alcohol resistant foam, CO2, powders, water spray

### Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; Hydrogen fluoride (HF); fluorine compounds; Exposure to heat may cause bursting of the vessels. Vapours can form a highly flammable mixture with air.

#### Advice for firefighters 5.3

Use self-contained breathing apparatus. Wear full protective suit. Containers close to fire should be transferred to a safe place. Cool closed containers exposed to fire with water. Pressure increase, bursting and explosion hazard during heating. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Provide good room ventilation even at ground level (vapours are heavier than air). Do not breathe gas. Keep away from ignition sources. Use personal protective clothing. Cordon and mark contaminated area. Remove persons to safety. Avoid skin contact with leaking liquid (danger of frostbite!).

### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

#### 6.2 **Environmental precautions**

Avoid release in the environment. Suppress gases/vapours/mists with water spray jet.

#### 6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dispose of absorbed material in accordance with the regulations.

#### 6.4 Reference to other sections



### with 1907/2006/EC

Trade name: R-1234yf

Current version: 1.1.0, issued: 31.07.2025 Replaced version: 1.0.0, issued: 26.06.2024 Region:

GER

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Only qualified and trained persons are authorised to handle. Provide good ventilation at the work area (local exhaust ventilation, if necessary). To be used only according to instructions for use. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose containers heat or sources of ignition. In case of accidental release: danger due to low temperature of the liquid product. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Comply with the health and safety at work laws. Use explosion-proof apparatus and fittings.

### General protective and hygiene measures

Wash hands before breaks and after work. Do not inhale gases. Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Have emergency shower available. Provide eye wash fountain in work area.

### Advice on protection against fire and explosion

Isolate from sources of heat, sparks and open flame. Take precautionary measures against electrostatic loading (earthing necessary during loading operations). Electrical equipment should be protected to the appropriate standard. Vapours can form an explosive mixture with air.

### 7.2 Conditions for safe storage, including any incompatibilities

### Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place, open and handle carefully. Protect from heat and direct sunlight.

Recommended storage temperature

Value < 50 °C

Storage stability

Value > 10 a

Comments When stored properly, the storage life is unlimited.

### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

### Incompatible products

Substances to be avoided, see section 10.

### Stoarge Class according TRGS 510

2A Gases (except aerosol dispensers and lighters)

### 7.3 Specific end use(s)

No data available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	2,3,3,3-tetrafluoroprop-1-ene	754-12-1		468-710-7	
	TRGS 900				
	2,3,3,3-Tetrafluorpropen				
	WEL long-term (8-hr TWA reference period)	950	mg/m³	200	ml/m³
	Ceiling Limit	2 (II)			
	Notes	Υ			



### with 1907/2006/EC

Trade name: R-1234yf

 Current version : 1.1.0, issued: 31.07.2025
 Replaced version: 1.0.0, issued: 26.06.2024
 Region:

 GER
 GER

### **DNEL, DMEL and PNEC values**

### **DNEL values (worker)**

No	Substance name			CAS / EC no	
	Route of exposure		Value		
1	2,3,3,3-tetrafluoroprop-1-ene			754-12-1	
				468-710-7	
	inhalative	Long term (chronic)	systemic	950 mg/m³	
	inhalative	Short term (acut)	systemic	186400 mg/m³	

### **DNEL value (consumer)**

No	Substance name	Substance name			
	Route of exposure		Value		
1	2,3,3,3-tetrafluoroprop-1-ene			754-12-1	
				468-710-7	
	inhalative	Long term (chronic)	systemic	113,1 mg/m³	
	inhalative	Short term (acut)	systemic	186400 mg/m³	

### **PNEC** values

No	Substance name			)
	ecological compartment	Туре	Value	
1	2,3,3,3-tetrafluoroprop-1-ene		754-12-1	
			468-710-7	
	water	fresh water	0,1	mg/L
	water	marine water	0,01	mg/L
	water	fresh water sediment	1,51	mg/kg dry weight
	water	marine water sediment	0,151	mg/kg dry weight
	soil	-	1,49	mg/kg dry weight

### 8.2 Exposure controls

### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn. Explosion-proof general and local exhaust ventilation.

### Personal protective equipment

### Respiratory protection

In case of insufficient ventilation or long-term effect use breathing apparatus. Danger of suffocation due to high concentrations in breathing air.

Respiratory filter (gas): AX

### Eye / face protection

Tightly fitting safety glasses (EN 166).

### Hand protection

Low-temperature-resistant gloves (EN 511). Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

### Other

Chemical-resistant work clothes. Fire-resistant antistatic protective clothing. Protective shoes.

### **Environmental exposure controls**

Information regarding waste disposal, see chapter 13.

# TEGR

# with 1907/2006/EC

Trade name: R-1234yf

Source

**Current version :** 1.1.0, issued: 31.07.2025 **Replaced version:** 1.0.0, issued: 26.06.2024

Region: GER

# SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

i illorillation on basic physi	icai and chemical propertie	3	
State of aggregation			
gas			
Form			
liquified gas			
Colour			
colourless, clear			
Odour			
slight			
pH value			
No data available			
Boiling point / boiling range			
Value		-29	°C
Source	supplier		_
Melting point/freezing point			
Value		-152,2	°C
Source	supplier	102,2	•
	1 11		
Decomposition temperature			
No data available			
Flash point			
Not applicable			
Source	supplier		
Ignition temperature		405	**
Value Source	aupplior	405	°C
Source	supplier		
Oxidising properties			
not classified			
Source	supplier		
Evaluaive proportion			
Explosive properties	ation of avalaging / highly flames	abla vana	ur-air mixtures is possible through use.
This product is not explosive. Form	ation of explosive / flightly flamin	abie vapo	ur-aii mixtures is possible through use.
Flammability			
flammable			
Source	supplier		
Lower explosion limit			
Lower explosion limit		6,2	% vol
Value Method	ASTM E 681	0,2	/0 VUI
Source	supplier		
	Годрию		
Upper explosion limit			
Value		12,3	% vol
Method	ASTM E 681		
Source	supplier		
Vapour pressure			
Value		5800	hPa
Reference temperature		20	°C
Course	gupplior		

supplier

### with 1907/2006/EC

Trade name: R-1234yf

Current version: 1.1.0, issued: 31.07.2025 Replaced version: 1.0.0, issued: 26.06.2024 Region:

GER

Relative vapour density		
Value	4	
Source	supplier	
Comments	Air = 1	

Relative density		
Value	4	
Source	supplier	
Comments	Air = 1	

Density		
Value	0,0048 g/cm <sup>3</sup>	
Reference temperature	20 °C	
Source	supplier	
Comments	Vapor density	

Solubility in water			
Value	0,1982	g/l	
Reference temperature	24	°C	
Source	supplier		

### Solubility No data available

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.	
1	2,3,3,3-tetrafluoroprop-1-ene		754-12-1		468-710-7	
log F	Pow	appr.		2		
Refe	erence temperature			25	°C	
with	reference to	pH 7				
Method		OECD 117				
Sou	rce	ECHA				

Kinematic viscosity		
Not applicable		
Source	supplier	

Solids content	
Not applicable	

Particle characteristics	
No data available	

#### 9.2 Other information

Other information	
Minimum ignition energy: 5-10 J	

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.

### 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### Possibility of hazardous reactions

Reacts with strong oxidizing agents. Vapours can form a highly flammable mixture with air. Flammable gas.

### 10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

### 10.5 Incompatible materials

# with 1907/2006/EC

Trade name: R-1234yf

Current version: 1.1.0, issued: 31.07.2025 Replaced version: 1.0.0, issued: 26.06.2024 Region: GER

Avoid contamination (e.g. rust, dust, ash), risk of decomposition! Oxidizing agents; Acids; Bases; oxygen; Peroxides; Metal as powder

### 10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity	
No data available	

## Acute dermal toxicity

No data available

Acu	Acute inhalational toxicity				
No	Substance name	CAS no.		EC no.	
1	2,3,3,3-tetrafluoroprop-1-ene	754-12-1		468-710-7	
LC5	0	>	405000	ppmV	
Dura	ation of exposure		4	h	
State	e of aggregation	Gas			
Spe	cies	rat			
Meth	nod	OECD 403			
Soul	rce	ECHA			
Eval	uation/classification	Based on available data,	the classificatior	n criteria are not met.	

### Skin corrosion/irritation

No data available

### Serious eye damage/irritation

No data available

### Respiratory or skin sensitisation

No data available

Geri	Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.	
1	2,3,3,3-tetrafluoroprop-1-ene	754-12-1	468-710-7	
Туре	e of examination	In vitro Mammalian Chromosomal Aberra	tion Test	
Spe	cies	Human Lymphocyte		
Meth	nod	OECD 473		
Soul	purce ECHA			
Eval	uation/classification	Based on available data, the classification criteria are not met.		
Rou	te of exposure	inhalational		
Туре	e of examination	In vivo mammalian somatic cell study: cytogenicity / erythrocyte		
		micronucleus		
Spe	cies	rat		
Meth	nod	OECD 474		
Soul	ce	ECHA		
Eval	uation/classification	Based on available data, the classification	n criteria are not met.	

Rep	Reproduction toxicity				
No	Substance name	CAS	no.	EC no.	
1	2,3,3,3-tetrafluoroprop-1-ene	754-	12-1	468-710-7	
Rou	te of exposure	inhalational			
NOA	\EC	>	50000	ppm	
Туре	e of examination	2 generation study			
Spe	cies	rat			
Meth	nod	OECD 416			
Soul	rce	ECHA			
Eval	uation/classification	Based on available	data, the classification	n criteria are not met.	

# with 1907/2006/EC

Trade name: R-1234yf

Region: GER Current version: 1.1.0, issued: 31.07.2025 Replaced version: 1.0.0, issued: 26.06.2024

Route of exposure	inhalational
NOAEC	< 2500 ppm
Type of examination	Prenatal Developmental Toxicity Study
Species	rabbit
Method	OECD 414
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Carcinogenicity

No data available

### STOT - single exposure No data available

STOT - repeated exposure				
No Substance name	CAS no.	EC no.		
1 2,3,3,3-tetrafluoroprop-1-ene	754-12-1	468-710-7		
Route of exposure	inhalational			
NOAEC	>	50000 ppm		
Species	rat			
Method	OECD 413			
Source	ECHA			
Evaluation/classification	Based on available data, the	e classification criteria are not met.		

Aspiration hazard	
No data available	

Endocrine disrupting properties	
No data available	

### 11.2 Information on other hazards

Other information

No data available.

### SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish (acute)				
No	Substance name	CAS no.		EC no.
1	2,3,3,3-tetrafluoroprop-1-ene	754-12-1		468-710-7
LC5	0	>	197	mg/l
Dura	ation of exposure		96	h ¯
Spe	cies	Cyprinus carpio		
Meth	nod	OECD 203		
Sou	rce	ECHA		
Eval	uation/classification	Based on available data	, the classificati	on criteria are not met.

### **Toxicity to fish (chronic)**

No data available

Toxicity to Daphnia (acute)							
No	Substance name	CAS no.		EC no.			
1	2,3,3,3-tetrafluoroprop-1-ene	754-12-1		468-710-7			
EC5	0	>	100	mg/l			
Duration of exposure			48	h			
Species		Daphnia magna	Daphnia magna				
Method		OECD 202					
Sou	rce	ECHA					
Eva	uation/classification	Based on available data	, the classification	on criteria are not met.			

### Toxicity to Daphnia (chronic)



## with 1907/2006/EC

Trade name: R-1234yf

Current version: 1.1.0, issued: 31.07.2025 Replaced version: 1.0.0, issued: 26.06.2024 Region:

GER

No data available

Toxi	Toxicity to algae (acute)						
No	Substance name	CAS no.		EC no.			
1	2,3,3,3-tetrafluoroprop-1-ene	754-12-1		468-710-7			
EC5	0	>	100	mg/l			
Duration of exposure			72	h			
Species		Raphidocelis subcapitata					
Method		OECD 201					
Soul	rce	ECHA					
Eval	uation/classification	Based on available data, th	e classificatio	on criteria are not met.			

T	oxic	ity	to	al	gae	(cł	roi	nic)
		_						

No data available

### **Bacteria toxicity** No data available

12.2 Persistence and degradability

	2 1 didictioned und degradability						
Biod	Biodegradability						
No	Substance name	CAS no.		EC no.			
1	2,3,3,3-tetrafluoroprop-1-ene	754-12-1		468-710-7			
Туре		aerobic biodegradation					
Value		<	5	%			
Duration			28	d			
Method		OECD 301 F					
Source		ECHA					
Evaluation		not readily biodegradable					

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)						
No	Substance name		CAS no.		EC no.		
1	2,3,3,3-tetrafluoroprop-1-ene		754-12-1		468-710-7		
log F	Pow	appr.		2			
Refe	erence temperature			25	°C		
with reference to		pH 7					
Method		OECD 117					
Soul	rce	ECHA					

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment					
Product Name					
R-1234yf					
PBT assessment	The product is not considered to be a PBT.				
vPvB assessment	The product is not considered to be a vPvB.				

### 12.6 Endocrine disrupting properties

No data available.

### 12.7 Other adverse effects

Other adverse effects
global warming potential: 1

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

dispose of in accordance with local regulation.

# TEGR

### with 1907/2006/EC

Trade name: R-1234yf

 Current version : 1.1.0, issued: 31.07.2025
 Replaced version: 1.0.0, issued: 26.06.2024
 Region:

 GER
 GER

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

### **Packaging**

Empty containers contain product residue and may be hazardous. Do not pressurize, cut, weld, braze, solder, drill or expose these containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADR/RID/ADN UN3161 IMDG UN3161 ICAO-TI / IATA UN3161

### 14.2 UN proper shipping name

ADR/RID/ADN LIQUEFIED GAS, FLAMMABLE, N.O.S.

Technical name 2,3,3,3-tetrafluoroprop-1-ene

**IMDG** LIQUEFIED GAS, FLAMMABLE, N.O.S.

Technical name 2,3,3,3-tetrafluoroprop-1-ene

ICAO-TI / IATA Liquefied gas, flammable, n.o.s.
Technical name 2,3,3,3-tetrafluoroprop-1-ene

### 14.3 Transport hazard class(es)

ADR/RID/ADN - Class 2

Label 2.1 RID: (+13) Classification code 2F

 Classification code
 2F

 Tunnel restriction code
 B/D

 Hazard identification no.
 23

 IMDG - Class
 2.1

 Label
 2.1

 ICAO-TI / IATA - Class
 2.1

 Label
 2.1

### 14.4 Packing group

ADR/RID/ADN IMDG ICAO-TI / IATA -

### 14.5 Environmental hazards

EmS F-D, S-U

### 14.6 Special precautions for user

To be transported always in closed, upright and safe containers. Make sure that persons handling these containers are aware of the rules of conduct in case of incident or spillage.

### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

In accordance with the REACH regulation (EC) 1907/2006, the product does not contain any substances that are considered as subject to listing in annex XIV, inventory of substances requiring authorisation.

# TEGR

### with 1907/2006/EC

Trade name: R-1234yf

Current version: 1.1.0, issued: 31.07.2025 Replaced version: 1.0.0, issued: 26.06.2024 Region:

GER

### REACH candidate list of substances of very high concern (SVHC) for authorisation

In accordance with article 57 and article 59 of the Reach regulation (EC) 1907/2006, this substance is not considered as subject to listing in annex XIV, inventory of substances requiring authorisation ("Authorization list").

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The substance is not subject to the provisions of annex XVII (restriction entries) of the Reach regulation (EC) 1907/2006.

### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This substance is not subject to Part 1 or 2 of Annex I

#### Other regulations

REGULATION (EU) No 2024/573 on fluorinated greenhouse gases

Adhere to the national sanitary and occupational safety regulations when using this product.

### **National regulations**

### Water Hazard Class (Germany)

Class 1 Identification number 7910

Source Classification according to AwSV (Regulation on facilities for handling substances

that are hazardous to water).

### Other regulations

Take into account: TRGS 510 "Storage of hazardous substances in non-stationary containers"

### 15.2 Chemical safety assessment

A chemical safety assessment has been carried out for this substance.

### **SECTION 16: Other information**

### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

### Creation of the safety data sheet

UMCO GmbH

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

### Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

This document is an English translation of the legally compliant safety data sheet of the region Germany. This document, including UFI and emergency telephone number, may only be used for placing on the market in the region Germany.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 775897