

**Trade name:** R449A

**Current version :** 2.1.0, issued: 31.07.2025

**Replaced version:** 2.0.1, issued: 06.01.2025

**Region:**  
GER

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name**

**R449A**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Industrial Use

Professional use

Refrigerant

**Uses advised against**

Consumer use

### 1.3 Details of the supplier of the safety data sheet

**Address**

TEGA - Technische Gase und Gasetechnik GmbH

Werner-von-Siemens-Straße 18

97076 Würzburg

Telephone no. +49 931 2093-220

Fax no. +49 931 2093-180

e-mail kaeltmittel@tega.de

**Advice on Safety Data Sheet**

sdb\_info@umco.de

### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Press. Gas liq.; H280

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)**

**Hazard pictograms**



GHS04

**Signal word**

Warning

**Hazard statement(s)**

H280

Contains gas under pressure; may explode if heated.

Trade name: R449A

Current version : 2.1.0, issued: 31.07.2025

Replaced version: 2.0.1, issued: 06.01.2025

Region:  
GER**Precautionary statement(s)**

P410+P403

Protect from sunlight. Store in a well-ventilated place.

**Supplemental label elements**

Contains fluorinated greenhouse gases.

**2.3 Other hazards**

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Danger of suffocation by displacement of air / oxygen. Contact with the liquid can cause cold burns or frostbite. Abuse or intentional inhalation can be fatal as a result of effects on the heart without alarming symptoms.

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable. The product is not a substance.

**3.2 Mixtures****Chemical characterization**

Fluorinated hydrocarbons

**Hazardous ingredients**

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration
			%
1	<b>norflurane</b>		
	811-97-2 212-377-0 - 01-2119459374-33	Press. Gas liq.; H280	25,70 Vol%
2	<b>2,3,3,3-tetrafluoroprop-1-ene</b>		
	754-12-1 468-710-7 - 01-0000019665-61	Flam. Gas 1B; H221 Press. Gas liq.; H280	25,30 Vol%
3	<b>pentafluoroethane</b>		
	354-33-6 206-557-8 - 01-2119485636-25	Press. Gas liq.; H280	24,70 Vol%
4	<b>difluoromethane</b>		
	75-10-5 200-839-4 - 01-2119471312-47	Flam. Gas 1A; H220 Press. Gas liq.; H280	24,30 Vol%

Full text of H- and EUH-phrases, if not already mentioned in section 2.2: see section 16.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	-	Flam. Gas 1A; H220: C >= 6,201% Flam. Gas 1B; H221: C >= 12,3%	-	-

**SECTION 4: First aid measures****4.1 Description of first aid measures**

**General information**

Adhere to personal protective measures when giving first aid. Remove affected person from danger area, lay him down. Remove soiled or soaked clothing immediately.

**After inhalation**

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Irregular breathing/no breathing: artificial respiration. Call a doctor immediately.

**After skin contact**

In case of contact with skin wash off immediately with soap and water. Rinse with much water in case of frostbites. Remove clothes only after unfreezing. Cover wounds with sterile dressing. Call a doctor immediately.

**After eye contact**

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

**After ingestion**

Ingestion is not considered a possible route of exposure. Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor.

**4.2 Most important symptoms and effects, both acute and delayed****Symptoms**

The following symptoms may occur: cardiac arrhythmia; respiratory arrest. anesthetic effect; Light-headedness; Dizziness; confusion; Unconsciousness; muscle incoordination; nausea; Skin irritation; reddening of the skin; Eye irritation; red eyes; Contact with liquefied gas can cause damage (frostbite) due to rapid evaporative cooling.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

recommended: alcohol resistant foam, CO<sub>2</sub>, powders, water spray/mist; Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

**Unsuitable extinguishing media**

High power water jet

**5.2 Special hazards arising from the substance or mixture**

In the event of fire, the following can be released: Carbon oxides (CO<sub>x</sub>); Hydrogen fluoride (HF); Carbonyl fluoride; fluorine compounds; Liquefied gas: Spilled liquid can cause cold burns. This gas is heavier than air and may accumulate in low areas.

**5.3 Advice for firefighters**

Use self-contained breathing apparatus. Wear full protective suit. Containers close to fire should be transferred to a safe place. Cool closed containers exposed to fire with water. Pressure increase, bursting and explosion hazard during heating. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Provide good room ventilation even at ground level (vapours are heavier than air). Do not breathe gas. Keep away from ignition sources. Use personal protective clothing. Cordon and mark contaminated area. Remove persons to safety. Avoid skin contact with leaking liquid (danger of frostbite!).

**For emergency responders**

No data available. Personal protective equipment (PPE) - see Section 8.

**6.2 Environmental precautions**

Avoid release in the environment. Suppress gases/vapours/mists with water spray jet.

**6.3 Methods and material for containment and cleaning up**

Ensure adequate ventilation. Dispose of absorbed material in accordance with the regulations.

**6.4 Reference to other sections**

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Advice on safe handling**

Only qualified and trained persons are authorised to handle. Provide good ventilation at the work area (local exhaust ventilation, if necessary). To be used only according to instructions for use. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose containers heat or sources of ignition. In case of accidental release: danger due to low temperature of the liquid product. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Comply with the health and safety at work laws.

**General protective and hygiene measures**

Wash hands before breaks and after work. Do not inhale gases. Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Have emergency shower available.

**Advice on protection against fire and explosion**

The product is not combustible. Isolate from sources of heat, sparks and open flame. Take precautionary measures against electrostatic loading (earthing necessary during loading operations). Electrical equipment should be protected to the appropriate standard.

**7.2 Conditions for safe storage, including any incompatibilities****Technical measures and storage conditions**

Keep container tightly closed in a cool, well-ventilated place, open and handle carefully. Protect from heat and direct sunlight.

**Recommended storage temperature**

Value < 50 °C

**Storage stability**

Value > 10 a

Comments When stored properly, the storage life is unlimited.

**Requirements for storage rooms and vessels**

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

**Incompatible products**

Substances to be avoided, see section 10.

**Storage Class according TRGS 510**

2A Gases (except aerosol dispensers and lighters)

**7.3 Specific end use(s)**

No data available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	norflurane	811-97-2	212-377-0
	TRGS 900		
	Norfluran		

Trade name: R449A

Current version : 2.1.0, issued: 31.07.2025

Replaced version: 2.0.1, issued: 06.01.2025

Region:  
GER

	WEL long-term (8-hr TWA reference period)	4200	mg/m <sup>3</sup>	1000	ml/m <sup>3</sup>
	Ceiling Limit	8(II)			
	Notes	Y			
2	<b>2,3,3,3-tetrafluoroprop-1-ene</b>	<b>754-12-1</b>		<b>468-710-7</b>	
	<b>TRGS 900</b>				
	2,3,3,3-Tetrafluorpropen				
	WEL long-term (8-hr TWA reference period)	950	mg/m <sup>3</sup>	200	ml/m <sup>3</sup>
	Ceiling Limit	2 (II)			
	Notes	Y			

**Biological limit values**

No	Substance name	
1	pentafluoroethane	
	TRGS 903	
	Fluorwasserstoff und anorganische Fluorverbindungen (Fluoride)	
	parameter	Fluorid
	Value	7,0 mg/g Kreatinin
	sample material	U
	Sampling moment	b
	TRGS 903	
	Fluorwasserstoff und anorganische Fluorverbindungen (Fluoride)	
	parameter	Fluorid
	Value	4,0 mg/g Kreatinin
	sample material	U
	Sampling moment	d

**DNEL, DMEL and PNEC values****DNEL values (worker)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	<b>norflurane</b>			<b>811-97-2</b> <b>212-377-0</b>	
	inhalative	Long term (chronic)	systemic	13936	mg/m <sup>3</sup>
2	<b>2,3,3,3-tetrafluoroprop-1-ene</b>			<b>754-12-1</b> <b>468-710-7</b>	
	inhalative	Long term (chronic)	systemic	950	mg/m <sup>3</sup>
	inhalative	Short term (acute)	systemic	186400	mg/m <sup>3</sup>
3	<b>pentafluoroethane</b>			<b>354-33-6</b> <b>206-557-8</b>	
	inhalative	Long term (chronic)	systemic	16444	mg/m <sup>3</sup>
4	<b>difluoromethane</b>			<b>75-10-5</b> <b>200-839-4</b>	
	inhalative	Long term (chronic)	systemic	7035	mg/m <sup>3</sup>

**DNEL value (consumer)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	<b>norflurane</b>			<b>811-97-2</b> <b>212-377-0</b>	
	inhalative	Long term (chronic)	systemic	2476	mg/m <sup>3</sup>
2	<b>2,3,3,3-tetrafluoroprop-1-ene</b>			<b>754-12-1</b> <b>468-710-7</b>	
	inhalative	Long term (chronic)	systemic	113,1	mg/m <sup>3</sup>
	inhalative	Short term (acute)	systemic	186400	mg/m <sup>3</sup>
3	<b>pentafluoroethane</b>			<b>354-33-6</b> <b>206-557-8</b>	
	inhalative	Long term (chronic)	systemic	1753	mg/m <sup>3</sup>

4	difluoromethane			75-10-5 200-839-4
	inhalative	Long term (chronic)	systemic	750 mg/m <sup>3</sup>

**PNEC values**

PNEC values				
No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	norflurane		811-97-2 212-377-0	
	water	fresh water	0,1	mg/L
	water	marine water	0,01	mg/L
	water	fresh water sediment	0,75	mg/kg dry weight
	sewage treatment plant	-	73	mg/L
2	2,3,3,3-tetrafluoroprop-1-ene		754-12-1 468-710-7	
	water	fresh water	0,1	mg/L
	water	marine water	0,01	mg/L
	water	fresh water sediment	1,51	mg/kg dry weight
	water	marine water sediment	0,151	mg/kg dry weight
	soil	-	1,49	mg/kg dry weight
3	pentafluoroethane		354-33-6 206-557-8	
	water	fresh water	0,1	mg/L
	water	fresh water sediment	0,6	mg/kg dry weight
4	difluoromethane		75-10-5 200-839-4	
	water	fresh water	0,142	mg/L
	water	Aqua intermittent	1,42	mg/L
	water	fresh water sediment	0,543	mg/kg dry weight

**8.2 Exposure controls****Appropriate engineering controls**

Ensure adequate ventilation, local exhaust at the work station if necessary.

**Personal protective equipment****Respiratory protection**

Self-contained breathing apparatus. In case of insufficient ventilation or long-term effect use breathing apparatus.  
Danger of suffocation due to high concentrations in breathing air.

**Eye / face protection**

Tightly fitting safety glasses (EN 166). Face shield

**Hand protection**

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Low-temperature-resistant gloves (EN 511). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material                      Leather

**Other**

Chemical-resistant work clothes. Protective shoes.

**Environmental exposure controls**

No data available.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

<b>State of aggregation</b>	
gas	
<b>Form</b>	
liquified gas	
<b>Colour</b>	
clear	
<b>Odour</b>	
slight	
<b>pH value</b>	
No data available	
<b>Boiling point / boiling range</b>	
Value	-46 °C
Source	supplier
<b>Melting point/freezing point</b>	
No data available	
<b>Decomposition temperature</b>	
No data available	
<b>Flash point</b>	
Not applicable	
Source	supplier
<b>Ignition temperature</b>	
No data available	
<b>Oxidising properties</b>	
Not relevant	
Source	supplier
<b>Explosive properties</b>	
The product does not have explosive properties.	
Source	supplier
<b>Flammability</b>	
The product is not combustible.	
Source	supplier
<b>Lower explosion limit</b>	
none	
Method	ASTM E 681
Source	supplier
<b>Upper explosion limit</b>	
none	
Method	ASTM E 681
Source	supplier
<b>Vapour pressure</b>	
Value	12748 hPa
Reference temperature	25 °C
Source	supplier
<b>Relative vapour density</b>	

Trade name: R449A

Current version : 2.1.0, issued: 31.07.2025

Replaced version: 2.0.1, issued: 06.01.2025

Region:  
GER

Value	3,07
Source	supplier
Comments	Air = 1

Evaporation rate	
Value	> 1
Source	supplier
Comments	CCl4 = 1

Relative density	
Value	1,1
Reference temperature	25 °C
Source	supplier

Density	
No data available	

Solubility	
No data available	

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	norflurane	811-97-2	212-377-0
log Pow		1,06	
Reference temperature		25	°C
with reference to		pH 6.0	
Method		OECD 107	
Source		ECHA	
2	2,3,3,3-tetrafluoroprop-1-ene	754-12-1	468-710-7
log Pow		appr. 2	
Reference temperature		25	°C
with reference to		pH 7	
Method		OECD 117	
Source		ECHA	
3	pentafluoroethane	354-33-6	206-557-8
log Pow		1,48	
Reference temperature		25	°C
with reference to		pH 6.34	
Method		OECD 107	
Source		ECHA	
4	difluoromethane	75-10-5	200-839-4
log Pow		0,21	
Reference temperature		25	°C
with reference to		pH 6,1	
Method		OECD 107	
Source		ECHA	

Kinematic viscosity	
Not applicable	
Source	supplier

Particle characteristics	
No data available	

## 9.2 Other information

Other information	
No data available.	

## SECTION 10: Stability and reactivity

### 10.1 Reactivity



Trade name: R449A

Current version : 2.1.0, issued: 31.07.2025

Replaced version: 2.0.1, issued: 06.01.2025

Region:  
GER

Dangerous reactions are not expected if the product is handled according to its intended use.

**10.2 Chemical stability**

Stable under recommended storage and handling conditions (See section 7).

**10.3 Possibility of hazardous reactions**

Stable under recommended storage and handling conditions (See section 7). Reacts with strong oxidizing agents.

**10.4 Conditions to avoid**

Heat, naked flames and other ignition sources.

**10.5 Incompatible materials**

Avoid contamination (e.g. rust, dust, ash), risk of decomposition! Oxidizing agents; Acids; Bases; oxygen; Peroxides; Metal as powder

**10.6 Hazardous decomposition products**

None if stored, handled and transported properly. In case of fire: see section 5.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

No data available

**Acute dermal toxicity**

No data available

**Acute inhalational toxicity**

No	Substance name	CAS no.	EC no.
1	2,3,3,3-tetrafluoroprop-1-ene	754-12-1	468-710-7
LC50	>	405000	ppmV
Duration of exposure		4	h
State of aggregation	Gas		
Species	rat		
Method	OECD 403		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	pentafluoroethane	354-33-6	206-557-8
LC50	>	800000	ppmV
Duration of exposure		4	h
State of aggregation	Gas		
Species	rat		
Method	OECD 403		
Source	ECHA		

**Skin corrosion/irritation**

No data available

**Serious eye damage/irritation**

No data available

**Respiratory or skin sensitisation**

No data available

**Germ cell mutagenicity**

No	Substance name	CAS no.	EC no.
1	norflurane	811-97-2	212-377-0
Type of examination	Genotoxicity in vitro		
Species	Salmonella typhimurium		
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Trade name: R449A

Current version : 2.1.0, issued: 31.07.2025

Replaced version: 2.0.1, issued: 06.01.2025

Region:  
GER

Type of examination	Genotoxicity in vitro
Species	Human Lymphocyte
Method	OECD 473
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Route of exposure	inhalational
Type of examination	Genotoxicity in vivo
Species	mouse
Method	EPA
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
<b>2</b>	<b>2,3,3,3-tetrafluoroprop-1-ene</b>
	<b>754-12-1</b>
	<b>468-710-7</b>
Type of examination	In vitro Mammalian Chromosomal Aberration Test
Species	Human Lymphocyte
Method	OECD 473
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Route of exposure	inhalational
Type of examination	In vivo mammalian somatic cell study: cytogenicity / erythrocyte micronucleus
Species	rat
Method	OECD 474
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
<b>3</b>	<b>pentafluoroethane</b>
	<b>354-33-6</b>
	<b>206-557-8</b>
Type of examination	in vitro gene mutation study in bacteria
Species	Salmonella typhimurium / Escherichia coli
Method	OECD 471
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Type of examination	In vitro Mammalian Chromosomal Aberration Test
Species	Chinese hamster Ovary (CHO)
Method	OECD 473
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Route of exposure	inhalational
Type of examination	Mammalian Erythrocyte Micronucleus Test, In vivo
Species	mouse
Method	OECD 474
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
<b>4</b>	<b>difluoromethane</b>
	<b>75-10-5</b>
	<b>200-839-4</b>
Type of examination	in vitro gene mutation study in bacteria
Species	Salmonella typhimurium / Escherichia coli
Method	OECD 471
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Type of examination	In vitro Mammalian Chromosomal Aberration Test
Species	Human Lymphocyte
Method	OECD 473
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
<b>Reproduction toxicity</b>	
<b>No</b>	<b>Substance name</b>
<b>CAS no.</b>	<b>EC no.</b>
<b>1</b>	<b>norflurane</b>
	<b>811-97-2</b>
	<b>212-377-0</b>
Route of exposure	inhalational
Species	mouse
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Trade name: R449A

Current version : 2.1.0, issued: 31.07.2025

Replaced version: 2.0.1, issued: 06.01.2025

Region:  
GER

2	2,3,3,3-tetrafluoroprop-1-ene	754-12-1	468-710-7
Route of exposure	inhalational		
NOAEC	> 50000 ppm		
Type of examination	2 generation study		
Species	rat		
Method	OECD 416		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Route of exposure	inhalational		
NOAEC	< 2500 ppm		
Type of examination	Prenatal Developmental Toxicity Study		
Species	rabbit		
Method	OECD 414		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
3	pentafluoroethane	354-33-6	206-557-8
Route of exposure	inhalational		
Type of examination	Prenatal Developmental Toxicity Study		
Species	rabbit		
Method	OECD 414		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

**Carcinogenicity**

No	Substance name	CAS no.	EC no.
1	<b>norflurane</b>	<b>811-97-2</b>	<b>212-377-0</b>
Route of exposure	inhalational		
Species	rat		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No	Substance name	CAS no.	EC no.
1	<b>norflurane</b>	<b>811-97-2</b>	<b>212-377-0</b>
Route of exposure	inhalational		
Species	rat		
Method	OECD 453		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	2,3,3,3-tetrafluoroprop-1-ene	754-12-1	468-710-7
Route of exposure	inhalational		
NOAEC	> 50000 ppm		
Species	rat		
Method	OECD 413		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
3	pentafluoroethane	354-33-6	206-557-8
Route of exposure	inhalational		
Species	rat		
Method	OECD 413		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
4	difluoromethane	75-10-5	200-839-4
Route of exposure	inhalational		
Species	rat		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Trade name: R449A

Current version : 2.1.0, issued: 31.07.2025

Replaced version: 2.0.1, issued: 06.01.2025

Region:  
GER**Aspiration hazard**

No data available

**Endocrine disrupting properties**

No data available

**11.2 Information on other hazards****Other information**

No data available.

**SECTION 12: Ecological information****12.1 Toxicity****Toxicity to fish (acute)**

No	Substance name	CAS no.	EC no.
1	<b>norflurane</b>	<b>811-97-2</b>	<b>212-377-0</b>
LC50		450	mg/l
Duration of exposure		96	h
Species	Salmo gairdneri		
Method	EU C.1		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	<b>2,3,3,3-tetrafluoroprop-1-ene</b>	<b>754-12-1</b>	<b>468-710-7</b>
LC50		>	197 mg/l
Duration of exposure		96	h
Species	Cyprinus carpio		
Method	OECD 203		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

**Toxicity to fish (chronic)**

No data available

**Toxicity to Daphnia (acute)**

No	Substance name	CAS no.	EC no.
1	<b>norflurane</b>	<b>811-97-2</b>	<b>212-377-0</b>
EC50		980	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	EU C.2		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	<b>2,3,3,3-tetrafluoroprop-1-ene</b>	<b>754-12-1</b>	<b>468-710-7</b>
EC50		>	100 mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

**Toxicity to Daphnia (chronic)**

No data available

**Toxicity to algae (acute)**

No	Substance name	CAS no.	EC no.
1	<b>2,3,3,3-tetrafluoroprop-1-ene</b>	<b>754-12-1</b>	<b>468-710-7</b>
EC50		>	100 mg/l
Duration of exposure		72	h
Species	Raphidocelis subcapitata		
Method	OECD 201		

Trade name: R449A

Current version : 2.1.0, issued: 31.07.2025

Replaced version: 2.0.1, issued: 06.01.2025

Region:  
GER

Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

<b>Toxicity to algae (chronic)</b>
No data available

<b>Bacteria toxicity</b>
No data available

**12.2 Persistence and degradability**

<b>Biodegradability</b>			
No	Substance name	CAS no.	EC no.
1	<b>norflurane</b>	<b>811-97-2</b>	<b>212-377-0</b>
Type	aerobic biodegradation		
Value	appr.	3	%
Duration		28	d
Method	OECD 301 D		
Source	ECHA		
Evaluation	not readily biodegradable		
2	<b>2,3,3,3-tetrafluoroprop-1-ene</b>	<b>754-12-1</b>	<b>468-710-7</b>
Type	aerobic biodegradation		
Value	<	5	%
Duration		28	d
Method	OECD 301 F		
Source	ECHA		
Evaluation	not readily biodegradable		
3	<b>pentafluoroethane</b>	<b>354-33-6</b>	<b>206-557-8</b>
Type	aerobic biodegradation		
Value	appr.	5	%
Duration		28	d
Method	Closed Bottle Test (OECD 301D)		
Source	ECHA		
Evaluation	not readily biodegradable		
4	<b>difluoromethane</b>	<b>75-10-5</b>	<b>200-839-4</b>
Type	aerobic biodegradation		
Value		5	%
Duration		28	d
Method	OECD 301 D		
Source	ECHA		
Evaluation	not readily biodegradable		

**12.3 Bioaccumulative potential**

<b>Partition coefficient n-octanol/water (log value)</b>			
No	Substance name	CAS no.	EC no.
1	<b>norflurane</b>	<b>811-97-2</b>	<b>212-377-0</b>
log Pow		1,06	
Reference temperature		25	°C
with reference to	pH 6.0		
Method	OECD 107		
Source	ECHA		
2	<b>2,3,3,3-tetrafluoroprop-1-ene</b>	<b>754-12-1</b>	<b>468-710-7</b>
log Pow	appr.	2	
Reference temperature		25	°C
with reference to	pH 7		
Method	OECD 117		
Source	ECHA		
3	<b>pentafluoroethane</b>	<b>354-33-6</b>	<b>206-557-8</b>
log Pow		1,48	
Reference temperature		25	°C
with reference to	pH 6.34		

Trade name: R449A

Current version : 2.1.0, issued: 31.07.2025

Replaced version: 2.0.1, issued: 06.01.2025

Region:  
GER

Method Source		OECD 107 ECHA	
4	difluoromethane	75-10-5	200-839-4
log Pow		0,21	
Reference temperature with reference to		25	°C
Method Source		pH 6,1 OECD 107 ECHA	

**12.4 Mobility in soil**

No data available.

**12.5 Results of PBT and vPvB assessment**

Results of PBT and vPvB assessment	
Product Name	
R449A	
PBT assessment	The product is not considered to be a PBT.
vPvB assessment	The product is not considered to be a vPvB.

**12.6 Endocrine disrupting properties**

No data available.

**12.7 Other adverse effects**

Other adverse effects
Product: Global warming potential within 100 years: 1396

**12.8 Other information**

Other information
Do not discharge product uncontrolled into the environment.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.  
dispose of in accordance with local regulation.

**Packaging**

Disposal should be observed in conformity with the Regional Waste Disposal Authority.

**SECTION 14: Transport information****14.1 UN number or ID number**

ADR/RID/ADN	UN1078
IMDG	UN1078
ICAO-TI / IATA	UN1078

**14.2 UN proper shipping name**

ADR/RID/ADN	REFRIGERANT GAS, N.O.S.
Technical name	norflurane 2,3,3,3-tetrafluoroprop-1-ene
IMDG	REFRIGERANT GAS, N.O.S.
Technical name	norflurane 2,3,3,3-tetrafluoroprop-1-ene
ICAO-TI / IATA	Refrigerant gas, n.o.s.
Technical name	norflurane 2,3,3,3-tetrafluoroprop-1-ene

**14.3 Transport hazard class(es)**

Trade name: R449A

Current version : 2.1.0, issued: 31.07.2025

Replaced version: 2.0.1, issued: 06.01.2025

Region:  
GER

<b>ADR/RID/ADN - Class</b>	2
Label	2.2 RID: (+13)
Classification code	2A
Tunnel restriction code	C/E
Hazard identification no.	20
<b>IMDG - Class</b>	2.2
Label	2.2
<b>ICAO-TI / IATA - Class</b>	2.2
Label	2.2

**14.4 Packing group**

<b>ADR/RID/ADN</b>	-
<b>IMDG</b>	-
<b>ICAO-TI / IATA</b>	-

**14.5 Environmental hazards**

EmS	F-C, S-V
-----	----------

**14.6 Special precautions for user**

To be transported always in closed, upright and safe containers. Make sure that persons handling these containers are aware of the rules of conduct in case of incident or spillage.

**14.7 Maritime transport in bulk according to IMO instruments**

Not relevant

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

**REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

**Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subject to restriction as listed in Annex XVII of the REACH regulation (EC) 1907/2006.

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is not subject to Part 1 or 2 of Annex I.

**Other regulations**

REGULATION (EU) No 2024/573 on fluorinated greenhouse gases  
Adhere to the national sanitary and occupational safety regulations when using this product.

**National regulations****Water Hazard Class (Germany)**

Class	1
Source	Classification according to AwSV (Regulation on facilities for handling substances that are hazardous to water).

**Other regulations**

Take into account: TRGS 510 "Storage of hazardous substances in non-stationary containers"

**Trade name:** R449A

**Current version :** 2.1.0, issued: 31.07.2025

**Replaced version:** 2.0.1, issued: 06.01.2025

**Region:**  
GER

### 15.2 Chemical safety assessment

Chemical safety assessments have been conducted for the substances in this mixture. For a mixture a chemical safety assessment according to (EC) 1907/2006 is not mandatory.

## SECTION 16: Other information

### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

### Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H220 Extremely flammable gas.

H221 Flammable gas.

### Creation of the safety data sheet

UMCO GmbH

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

### Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

This document is an English translation of the legally compliant safety data sheet of the region Germany. This document, including UFI and emergency telephone number, may only be used for placing on the market in the region Germany.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.  
Prod-ID 758255